

1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378</
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--------

(0001) This application Claims the benefit of U.S. Provisional Application Serial No. 60/191,401, filed on March 23, 2000, which is incorporated by reference herein.

(0002) The present invention relates, in general, to a system architecture for managing event driven activities. In particular, the present invention relates to a system that provides attribute control of resources in cooperation with the distribution of the resource to a user or recipient.

(0003) Generally, schedules record events that are planned for execution at a selected date or time in the future. The means by which scheduling of events are recorded varies widely. One example of a recording means is a simple desktop calendar wherein

the scheduler denotes an event that is of importance to the scheduler. A sophisticated means of recording events is to denote a plurality of events with the aid of a computer with memory or with a database having a software program installed thereon to manage the recording of events and the projection of the schedule on a computer monitor display.

- 5 A more sophisticated means of recording events is to use a software program that identifies conflicting events and projects the results of the conflict(s) and the intended schedule on a computer monitor display.

(0004) Generally, existing scheduling software programs do not provide the managing of events or resolution of conflicts. A user of the currently available scheduling  
10 software programs must manually adjust the schedule until the conflicts are resolved or the user reaches a satisfactory compromise between the desired execution of events and the practical or convenient workable execution of events.

(0005) Attempts in the past to alleviate the burdensome task of technique the trial and error method of making schedule adjustments have focused on the "click and drag"  
15 of a computer cursor to adjust the time period of a selected event. Once this action had taken place, the scheduling program would re-compute the time periods of the whole schedule. This approach often resulted in multiple conflicts due to user inability to ascertain all of the scheduled events simultaneously.

(0006) It would be desirable to have event conflicts associated in scheduling  
20 resolved before the schedule is displayed to the user. It would be further desirable to have event time allocation and required resource data to implement the scheduled event incorporated or considered into the final schedule displayed to the user.

(0007) The following definitions are provided to aid the reader in understanding the terms used throughout the text, drawings, and Claims:

- Event - A requested or scheduled activity during a specific time duration; An action or occurrence, often generated by the user, to which a software program might respond. Key presses, button clicks, or mouse movements associated with a computer are examples.
- Engine - A processor or portion of a program that determines how the software program manages and manipulates data. For example, a database engine contains the tools for manipulating a database.
- Time allocation - A period of time dedicated to the execution of an event.

### **SUMMARY OF THE INVENTION**

(0008) The present invention is a system architecture for managing event driven activities. The event driven activities are generated by a user or a recipient's desire for a resource. The recipient is in communication with a Resource Manager. The Resource Manager is in communication with a Publishing Engine and a Scheduling Engine. The Resource Manager receives the request for a desired resource from the recipient. Responsive to that request, the Resource Manager generates a request for a resource allocation to the Publishing Engine. Responsive to the Resource Manager's request the Publishing Engine generates at least one data structure delineating the recipient's desire for an allocation of a selected resource. The Publishing Engine evaluating resource availability in cooperation with the selected resource allocation transmits the resultant to

the Resource Manager. The Resource Manager, in communication with a Scheduling Engine, generates a schedule activity request. The Scheduling Engine responsive to the schedule activity request and in concert with the Publishing Engine generates an activity schedule reflecting the recipient's desire for the resource in cooperation with available resources.

(0009) When taken in conjunction with the accompanying drawings and the appended Claims, other features and advantages of the present invention become apparent upon reading the following detailed description of the embodiments of the invention.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

(0010) The invention illustrated in the drawings in which like reference characters designate the same or similar parts throughout the figures of which:

- Fig. 1 illustrates a top level block schematic diagram of the preferred embodiment of the present invention,
- Fig. 2 illustrates a block schematic diagram of the operation of the Time Tube data structure of Fig. 1,
- Fig. 3 illustrates a block schematic diagram of the Time Tube data structure of Fig. 2 operating in concert with a Time Block data structure of Fig. 1,
- Fig. 4 illustrates a block schematic diagram of the cancel operation of the Time Tube data structure and generated a Time Block remnant of Fig. 3,
- Fig. 5 illustrates a block schematic diagram of the cancel operation of the Time Tube data structure and generated a Time Block availability of

Fig. 3,

Fig. 6 illustrates a block schematic diagram of the Time Tube Attribute data structure of Fig. 1,

Fig. 7 illustrates a block schematic diagram of the Time Tube data structure generating available Time Blocks after an on-hold operation of Fig. 1,

Fig. 8 illustrates a block schematic diagram of the Time Tube data structure on-hold operation of Fig. 7.

### **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT**

(0011) The preferred embodiment of the present invention is a system architecture for managing event driven activities 10, Fig. 1. A Resource Manager 11 in communication with a Publishing Engine 13, and Scheduling Engine 12 commands and controls the operational features of the present invention 10. The Resource Manager 11 receives a stimulus from an external event 15 indicating a request for a resource under the control of the present invention 10. The external event 15 may, if desired, be an activity, the results of an activity, or a user or recipient of a resource that is under control of the present invention 10. The stimulus may, if desired, be any convenient means of communication i.e., electronic, verbal recognition, or via the Postal Service. The Resource Manager 11 responds to the external event 15 by communicating a request for available or scheduled resources to the Publishing Engine 13. The Publishing Engine 13 is a processor or portion of the software program that determines how the resource data 14 is captured, received, and managed. Resource data is defined as a plurality of individual data structures each containing data attributes, time availability, or current scheduling of the intended resource pertinent to the execution of an event. For example, an event may be the installation of a particular or selected type of cable modem requested

by a user. The resource data would contain the qualifications of individuals, companies, or on-line help screens capable of installing the particular or selected type of cable modem. The resource data would also contain the current scheduling and time availability of the individual who would install the cable modem.

5 (0012) The Publishing Engine 13, Fig. 1 has at least one Time Tube Attribute data structure(s) 16, at least one Time Tube data structure(s) 17, and at least one Time Block data structure(s) 18. The Time Tube Attribute data structure 16 has data fields containing the characteristics and potential availability of desired resources. The Time Tube Attribute data structure 16 is continually updated with new resource data and  
10 previously store data is updated. The Time Block data structure 18 has data fields containing the current disposition of a selected block or length of time of a selected Time Tube data structure 17. The timing function associated with the Time Block data structure 18 may, if desired, be selected from a group of data fields consisting of start, stop event timing, date/time, time availability of a resource, remnant time of the unused portion of a  
15 selected resource, canceled time of a resource, and on-hold time of a selected resource. The Time Block data structure 18 is continually updated via the Publishing Engine 13.

(0013) The Time Tube data structure 18, Fig. 1 has data fields containing a selected schedulable resource for a selected time period. The Time Tube data structure 17 and the Time Block data structure 18 have a parent-child relationship wherein the Time  
20 Tube is the parent and may have a plurality of Time block children. The fundamental relationship between Time Tube data structure 17 and the Time Block data structure 18 is that no two time blocks associated with the same parent Time Tube data structure have the same status i.e., the same availability, usage, on-hold, or overlapping start/stop times.

(0014) The Publishing Engine 13, Fig. 1 correlates the data contained in the Time Tube 17 with the request for the selected resource satisfying the requirements generated by the external event 15. The Publishing Engine 13 may, if desired, extend the correlation range of the data contained in the Time Tube 17. The extended range of data provides  
5 options concerning delivery of the selected resource to the external event 15.

(0015) The Scheduling Engine 12, Fig. 1 in concert with the Publishing Engine 13, generates an event schedule 19 reflecting the selected time blocks for event activity(s) i.e., the correlated resource data 14 and the external event 15. The Resource Manager 11 being in continual communication with Publishing Engine 13, the Scheduling Engine 12,  
10 and the external event 15 provides real time updates to the selected schedule generated by the Scheduling Engine 12.

(0016) Although only one exemplary embodiment of this invention have been described in detail above, those skilled in the art will readily appreciate that many modifications are possible in the exemplary embodiments without materially departing  
15 from the novel teachings and advantages of this invention. Accordingly, all such modifications are intended to be included within the scope of this invention as defined in the following Claims. Means-plus-function clause is intended to cover the structures described herein as performing the recited function and not only structural equivalents but also equivalent structures. Thus, although a nail and a screw may not be structural  
20 equivalents in that a nail employs a cylindrical surface to secure wooden parts together, whereas a screw employs a helical surface, in the environment of fastening wooden parts, a nail and a screw may be equivalent structures.

(0017) All patents, applications, publications and other references are incorporated by reference herein in their entirety.